

## INSTALL GUIDE

### SNV-CS-10 Family



## Part Numbers:

- SNV-CS-10-W35J (White, 3.5mm Audio Jack)
- SNV-CS-10-W3P (White, 3-Pin Pogo)
- SNV-CS-10-W3W (White, 3-Wire)
- SNV-CS-10-B35J (Black, 3.5mm Audio Jack)
- SNV-CS-10-B3P (Black, 3-Pin Pogo)
- SNV-CS-10-B3W (Black, 3-Wire)

## DESCRIPTION

The SNV-CS-10 is a low voltage Networked Lighting Controller with an integrated passive infrared sensor and a photocell. It is powered via the AUX power from the LED driver. The product is DLC certified for indoor applications.

## SPECIFICATIONS

- Radio Frequency: 2.4 GHz (IEEE 802.15.4)
- RF Transmission Output Power: +20dBm
- Motion Sensor: PIR, up to 40 ft height (12m)
- Photocell
- Operating Temperature: 0° to +45° C
- Operating Humidity: 10 to 95%, non-condensing
- IP65 Rated Enclosure
- Dimensions: 1.9" D x 1.5" H (48mm D x 39mm H)
- Thread Dimensions: 0.79" D x 0.3" H (20mm D x 7.5mm H), M20 Thread
- Input Power: 12-24VDC, 1200mW (max)
- Environmental: Indoor

## WARNINGS AND CAUTIONS


- **TURN OFF POWER AT CIRCUIT BREAKER OR FUSE AND TEST THAT POWER IS OFF BEFORE INSTALLING OR SERVICING!**
- The SNV-CS-10-x35J should only be installed in a fixture with a 3.5mm Audio Jack receptacle with M20 Threads.
- The SNV-CS-10-x3P should only be installed in a fixture with a 3-Pin Pogo receptacle with M20 Threads.
- The SNV-CS-10-x3W should only be installed in a fixture with a receptacle with M20 Threads.
- Failure to follow these instructions and warnings could potentially void the warranty.
- This product must be installed in accordance with national, state, and local electrical codes and requirements.
- If you are unsure about any part of these instructions, consult an electrician; all work should be performed by qualified personnel.

## WIRING DETAILS OF SNV-CS-10

**TURN OFF POWER AT CIRCUIT BREAKER OR FUSE AND TEST THAT POWER IS OFF BEFORE INSTALLING OR SERVICING!**

Verify the light fixture's controls socket is wired up prior to installing the SNV-CS-10, please refer to the wiring details.  
(See Figure 1)

FIGURE 1



## INSTALLATION INSTRUCTIONS

**TURN OFF POWER AT CIRCUIT BREAKER OR FUSE AND TEST THAT POWER IS OFF BEFORE INSTALLING OR SERVICING!  
DO NOT HOT INSERT THE SNV-CS-10.**

1. If applicable, remove the sealing cap or lighting control device currently installed in the fixture socket.
2. For the SNV-CS-10-x3P and SNV-CS-10-x35J...
  - a. Securely screw the SNV-CS-10 into the socket, ensuring it is hand-tight.
  - b. Restore power to the luminaire.
3. For the SNV-CS-10-x3W...
  - a. Remove the locking nut.
  - b. Insert the SNV-CS-10 into the knockout of the light fixture.
  - c. Re-attach the locking nut on the SNV-CS-10 threads from inside the light fixture.
  - d. Connect the POWER (BROWN) wire of the SNV-CS-10 to the 12-24V DC Aux output from the LED driver, rated max 15W.
  - e. Connect the COMMON/DIM- (PINK) wire to the COMMON wire on the LED driver you have.
  - f. Connect the DIM+ (VIOLET) wire from the SNV-CS-10 to the DIM+ wire on the LED driver.
  - g. Restore power to the luminaire.

## REGULATORY INFORMATION AND CERTIFICATIONS

**RF Exposure Statement:** This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

**Industry Canada (IC) certifications:** This digital apparatus does not exceed the Class B limits for radio noise emissions from digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communications.

Le present appareil numerique n'emet pas de bruits radioelectriques depassant les limites applicable aux appareils numeriques de la class B prescrites dans le Reglement sur le brouillage radioelectrique edicte par le ministere des Communications du Canada.

FCC certifications and regulatory information (USA only)

**FCC Part 15 Class B:** This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) These devices may not cause harmful interference, and (2) These devices must accept any interference received, including interference that may cause harmful operation.

**RADIO FREQUENCY INTERFERENCE (RFI) (FCC 15.105):** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a

particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: (1) Re-orient or relocate the receiving antenna; (2) Increase the separation between the equipment and the receiver; (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected; (4) Consult the dealer or an experienced radio/TV technician for help.

**Declaration of Conformity (FCC 96-208 & 95-19):** Synapse Wireless, Inc. declares that the product name SNV-CS-10 to which this declaration relates, meet the requirements specified by the Federal Communications Commission as detailed in the following specifications:

- Part 15, Subpart B, for Class B equipment
- FCC 96-208 as it applies to Class B personal computers and peripherals
- This product has been tested at an External Test Laboratory certified per FCC rules and has been found to meet the FCC, Part 15, Emission Limits. Documentation is on file and available from Synapse Wireless, Inc.

If the FCC ID for the module inside this product enclosure is not visible when installed inside another device, then the outside of the device into which this product is installed must also display a label referring to the enclosed module FCC ID. Modifications (FCC 15.21): Changes or modifications to this equipment not expressly approved by Synapse Wireless, Inc., may void the user's authority to operate this equipment.

**Patented – virtual marking at**

<https://www.synapsewireless.com/about/patents>

**To learn more visit: [synapsewireless.com](http://synapsewireless.com)**

## CERTIFICATIONS

<b>Model</b>	: SNV-CS-10-W35J (White, 3.5mm Audio Jack) : SNV-CS-10-W3P (White, 3-Pin Pogo) : SNV-CS-10-W3W (White, 3-Wire) : SNV-CS-10-B35J (Black, 3.5mm Audio Jack) : SNV-CS-10-B3P (Black, 3-Pin Pogo) : SNV-CS-10-B3W (Black, 3-Wire)
<b>Contains FCC ID</b>	: U90-SNVCS10
<b>Contains IC</b>	: 7084A-SNVCS10